

(DM01)

ASSIGNMENT-1
M.Sc. (Previous) DEGREE EXAMINATION, DEC. – 2017

First Year
MATHEMATICS

Algebra

MAXIMUM MARKS:30

Answer ALL Questions

- Q1)** a) If G is an abelian group of order $o(G)$ and p is a prime number such that $p^\alpha \mid o(G)$, $p^{\alpha+1} \nmid o(G)$ then prove that G has a subgroup of order p^α .
- b) State and prove the Cayley's theorem.
- Q2)** a) Define an automorphism of a group. If G is a group, then prove that $A(G)$, the set of automorphism of G , is also a group.
- b) State and prove the Cauchy's theorem for abelian groups.
- Q3)** a) Define the Kernel of a group homomorphism. If ϕ is a homomorphism of G onto \bar{G} with Kernel K , then show that K is a normal subgroup of G .
- b) Prove that every permutation can be uniquely expressed as a product of disjoint cycles.
- Express $\begin{pmatrix} 1 & 2 & 3 & 4 & 5 & 6 & 7 & 8 & 9 \\ 2 & 3 & 4 & 5 & 1 & 6 & 7 & 9 & 8 \end{pmatrix}$ as the product of disjoint cycles.
- Q4)** a) State and prove the unique factorization theorem.
- b) Show that every integral domain is a field.
- Q5)** a) State and prove the Einestein's criterion.
- b) If R is a commutative ring with unit element and M is an ideal of R , then prove that M is a maximal ideal of R if and only if R/M is a field.

(DM01)

ASSIGNMENT-2
M.Sc. (Previous) DEGREE EXAMINATION, DEC. – 2017

First Year
MATHEMATICS

Algebra

MAXIMUM MARKS:30

Answer ALL Questions

- Q1)** a) Prove that a polynomial of degree n over a field can have at most n roots in any extension field.
b) Prove that the number e is transcendental.
- Q2)** a) Prove that the polynomial $f(x) \in F[x]$ has a multiple root if and only if $f(x)$ and $f'(x)$ have a non trivial common factor.
b) If L is a finite extension of K and K is a finite extension of F , then prove that L is a finite extension of F . Moreover $[L: F] = [L: K][K: F]$.
- Q3)** State and prove the fundamental theorem of Galois theory.
- Q4)** a) Define a modular lattice. Prove that every distributive lattice is modular but not conversely.
b) Prove that every distributive lattice with more than one element can be represented as a subdirect union of two element chains.
- Q5)** a) State and prove the Schreier's theorem.
b) Define a Boolean algebra. If B is a Boolean algebra and $a, b \in B$, then show that
i) $(a')' = a$
ii) $(a \wedge b)' = a' \vee b'$
iii) $a = b \Leftrightarrow (a \wedge b') \vee (a' \wedge b) = b$.



(DM02)

ASSIGNMENT-1
M.Sc. (Previous) DEGREE EXAMINATION, DEC. – 2017

First Year
MATHEMATICS

Analysis

MAXIMUM MARKS:30

Answer ALL Questions

- Q1)** a) Let Y be a subset of the metric space X . Prove that a subset E of Y is open relative to Y , if and only if $E = Y \cap G$ for some open set G of X .
- b) Define a compact set. Prove that compact subsets of metric spaces are closed.
- Q2)** a) If P is a non empty perfect set in \mathbb{R}^k , then prove that P is uncountable.
- b) Prove that every K -cell is compact.
- Q3)** a) Prove that (i) Every convergent sequence in any metric space is a Cauchy's sequence and (ii) Every Cauchy sequence in \mathbb{R}^k converges.
- b) Show that the Cauchy product of two absolutely convergent series converges absolutely.
- Q4)** a) State and prove a necessary and sufficient condition for a mapping f of a metric space X into a metric Y to be continuous on X .
- b) If f is a continuous mapping of a metric space X into a metric space Y and if E is a connected subset of X , then show that $f(E)$ is connected.
- Q5)** a) If f is continuous on $[a, b]$, then prove that $f \in R(\alpha)$ on $[a, b]$.
- b) State and prove the fundamental theorem of integral calculus.

(DM02)

ASSIGNMENT-2

M.Sc. (Previous) DEGREE EXAMINATION, DEC. – 2017

First Year

MATHEMATICS

Analysis

MAXIMUM MARKS: 30

Answer ALL Questions

- Q1)** a) Let α increase monotonically and $\alpha' \in R$ on $[a, b]$. If f be a bounded real function on $[a, b]$ then prove that $f \in R(\alpha)$ if and only if $f \alpha' \in R$.
- b) Suppose $f \in R(\alpha)$ on $[a, b]$, $m \leq f \leq M$, ϕ is continuous on $[m, M]$ and $h(x) = \phi(f(x))$ on $[a, b]$. Then prove that $h \in R(\alpha)$ on $[a, b]$.
- Q2)** a) State and prove the Cauchy's criterion for uniform convergence of a sequence of functions defined on a set E .
- b) Suppose K is compact and (i) $\{f_n\}$ is a sequence of continuous functions on K (ii) $\{f_n\}$ converges pointwise to a continuous function f on K and (iii) $f_n(x) \geq f_{n+1}(x)$ for all $x \in K, n = 1, 2, 3, \dots$. Then show that $f_n \rightarrow f$ uniformly on K .
- Q3)** a) Show that there exists a real continuous function on the real line which is nowhere differentiable.
- b) If K is a compact metric space, if $f_n \in \mathfrak{C}(K)$ for $n = 1, 2, 3, \dots$ and if $\{f_n\}$ converges uniformly on K , then prove that $\{f_n\}$ is equicontinuous on K .
- Q4)** a) State and prove the Lebesgue's monotone convergence theorem.
- b) Let f and g be measurable real-valued functions defined on X . For a real valued continuous function F on R^2 , put $h(x) = F(f(x), g(x)), x \in X$. Then show that h is measurable and in particular $f + g, fg$ are measurable.
- Q5)** a) State and prove Lebesgue's dominated convergence theorem.
- b) State and prove the Riesz-Fischer theorem.



(DM03)

ASSIGNMENT-1
M.Sc. (Previous) DEGREE EXAMINATION, DEC. – 2017

First Year
MATHEMATICS

Complex Analysis & Special Functions & Partial Differential Equations

MAXIMUM MARKS: 30

Answer ALL Questions

SECTION – A

- Q1)** a) Show that $P_n(x) = \frac{1}{2^n n!} \frac{d^n}{dx^n} (x^2 - 1)^n$.
- b) Prove that $(1 - 2xz + z^2)^{-1/2} = \sum_{n=0}^{\infty} z^n P_n(x)$
Deduce the first three Legendre polynomials.
- Q2)** a) With the usual notation, prove that
- i) $J_{-n}(x) = (-1)^n J_n(x)$
- ii) $J_{n-1}(x) + J_{n+1}(x) = \frac{2n}{x} J_n(x)$
- b) Show that $J_n(x) = \frac{1}{\pi} \int_0^\pi \cos(n\theta - x \sin \theta) d\theta$, n being an integer.
- Q3)** a) State and prove the necessary and sufficient condition for the integrability of the equation $P dx + Q dy + R dz = 0$
- b) Solve the equation
 $z^2 dx + (z^2 - 2yz) dy + (2y^2 - yz - zx) dz = 0$
- Q4)** a) Solve $(D^2 - D^1)z = 2y - x^2$
- b) Solve $\frac{\partial^2 z}{\partial x^2} + \frac{\partial^2 z}{\partial y^2} = \cos mx \cdot \cos ny$
- Q5)** a) Solve $r - t \cos^2 x + p \tan x = 0$ by Monge's method.
- b) Find a surface passing through two lines $x = z = 0, z - 1 = x - y = 0$ satisfying $r + 4s + 4t = 0$.

(DM03)

ASSIGNMENT-2
M.Sc. (Previous) DEGREE EXAMINATION, DEC. – 2017

First Year
MATHEMATICS

Complex Analysis & Special Functions & Partial Differential Equations

MAXIMUM MARKS: 30

Answer ALL Questions

SECTION - B

- Q1)** a) For a given power series $\sum_{n=0}^{\infty} a_n(z-a)^n$ define $0 \leq R < \infty$ by $\frac{1}{R} = \text{Limsup} |a_n|^{\frac{1}{n}}$.
Then prove that (i) if $|z-a| < R$, then the series converges absolutely
(ii) if $|z-a| > R$, the series diverges (iii) if $0 < r < R$, then the series converges uniformly on $\{z \mid |z| \leq r\}$.
- b) Distinguish between differentiability and analyticity of a function. Show that $f(z) = \bar{z}$ is not analytic.
- Q2)** a) State and prove the Cauchy's theorem.
b) Discuss the mapping properties of $\cos z$ and $\sin z$.
- Q3)** a) Find an analytic function $f: G \rightarrow \mathbb{C}$ where $G = \{z \mid \text{Re } z > 0\}$ such that $f(G) = D = \{z \mid |z| < 1\}$.
b) State and prove the open mapping theorem.
- Q4)** a) State and prove the Morera's theorem.
b) Evaluate $\int_r \frac{2z+1}{z^2+z+1} dz$ where r is the circle $|z| = 2$
- Q5)** a) Evaluate $\int_{-\infty}^{\infty} \frac{\cos x}{1+x^2} dx$ using the theory of residues.
b) State the residue theorem. Using this theorem evaluate $\int_0^{\pi} \frac{d\theta}{3+2\cos\theta}$



(DM04)

ASSIGNMENT-1
M.Sc. (Previous) DEGREE EXAMINATION, DEC. – 2017

First Year
MATHEMATICS

Theory of Ordinary Differential Equations

MAXIMUM MARKS: 30

Answer ALL Questions

- Q1)** a) If $\phi_1, \phi_2, \dots, \phi_n$ are n solutions of $L(y) = 0$ on an interval I , prove that they are linearly independent there if and only if $W(\phi_1, \phi_2, \dots, \phi_n)(x) \neq 0 \forall x$ in I .
- b) Find the two solutions ϕ_1, ϕ_2 of the equation $y'' + \frac{1}{x}y' - \frac{1}{x^2}y = 0, x > 0$ satisfying $\phi_1(1) = 1, \phi_2(1) = 0, \phi_1'(1) = 0, \phi_2'(1) = 1$.
- Q2)** a) Find two linearly independent power series solutions in powers of x for the equation $y'' + 3x^2y' - xy = 0$.
- b) Obtain the Rodrigue's formula for the Legendre's differential equation.
- Q3)** a) Let M, N be two real valued functions having continuous first partial derivatives on some rectangle $R: |x - x_0| \leq a, |y - y_0| \leq b$. Then show that the equation $M(x, y) + N(x, y)y' = 0$ is exact in R if and only if $\frac{\partial M}{\partial y} = \frac{\partial N}{\partial x}$ in R .
- b) Find an integrating factor of the equation $(\cos x)\cos y dx - 2(\sin x)\sin y dy = 0$ and hence solve it.
- Q4)** a) Consider $y' = 3y + 1, y(0) = 2$. Show that the successive approximations ϕ_0, ϕ_1, \dots exist for all x . Compute the first four approximations ϕ_0, \dots, ϕ_3 to the solution.
- b) Show that the function f given by $f(x, y) = x^2|y|$ satisfy a Lipschitz condition on $R: |x| \leq 1, |y| \leq 1$. Show that $\frac{\partial y}{\partial x}$ does not exist at $(x, 0)$ if $x \neq 0$.
- Q5)** a) Compute a solution for the system $y_1' = 3y_1 + 4y_2, y_2' = 5y_1 + 6y_2$.
- b) Show that all real valued solutions of the equation $y'' + \sin y = b(x)$ exist for all real x , where $b(x)$ is continuous for $-\infty < x < \infty$.

(DM04)

ASSIGNMENT-2
M.Sc. (Previous) DEGREE EXAMINATION, DEC. – 2017
First Year
MATHEMATICS
Theory of Ordinary Differential Equations

MAXIMUM MARKS: 30

Answer ALL Questions

- Q1)** a) State and prove the existence theorem for linear systems and establish the uniqueness.
b) Suppose $y = (8 + i, 3i, -2)$, $z = (i, -i, 2)$ and $w = (2 + i, 0, 1)$ be vectors in C_3 . Compute $y-z$. Verify whether these vectors are associative and commutative.
- Q2)** a) Find the solution of the Riccati equation $W^1 - W^2 - 1 = 0$.
b) Find a function $Z(x)$ such that $Z(x)[y'' + 3y' + 2y] = \frac{d}{dx}[K(x)y' + m(x)y]$
- Q3)** a) Compute the Green's function for the equation $y'' - 4y' + 3y = x, (-\infty < x < \infty)$. Hence find the general solution.
b) Derive an adjoint equation for $L(y) = y' - Ay = 0$ where A is a $n \times n$ matrix. Obtain a condition for the operator L to be self adjoint.
- Q4)** a) State and prove the Sturm comparison theorem.
b) Put the differential equation $y'' + f(t)y' + g(t)y = 0$ into self-adjoint form.
- Q5)** a) State and prove the Liapunov's inequality.
b) Derive a condition for the equation $P_0u'' + P_1u' + P_2u = 0$ to be self-adjoint.

